



# One-Bend Drawings of Outerplanar Graphs Inside Simple Polygons

Patrizio
Angelini
John Cabot
University
Rome

Philipp
Kindermann
Universität
Würzburg

Andre Löffler Universität Würzburg


Lena
Schlipf
Universität
Tübingen

Symvonis
National
Technical
Univerity
Athens

**Antonios** 


## **Input:**

- Outerplanar Graph G = (V, E)
- Simple Polygon *P*



## **Input:**

- Outerplanar Graph G = (V, E)
- Simple Polygon *P*
- Mapping of V to boundary of P





### **Input:**

- Outerplanar Graph G = (V, E)
- Simple Polygon *P*
- Mapping of V to boundary of P

## **Output:**

• Bend points for edges s.t.







### **Input:**

- Outerplanar Graph G = (V, E)
- Simple Polygon *P*
- Mapping of V to boundary of P

## **Output:**

Bend points for edges s.t.
 all edges inside P







### **Input:**

- Outerplanar Graph G = (V, E)
- Simple Polygon *P*
- Mapping of V to boundary of P

### **Output:**

Bend points for edges s.t.
 all edges inside P







### **Input:**

- Outerplanar Graph G = (V, E)
- Simple Polygon *P*
- Mapping of V to boundary of P

### **Output:**

Bend points for edges s.t.
 all edges inside P, one bend, planar






### **Input:**


- Outerplanar Graph G = (V, E)
- Simple Polygon *P*
- Mapping of V to boundary of P

## **Output:**

Bend points for edges s.t.
 all edges inside P, one bend, planar

• Is there a one-bend planar drawing of G in P?







### **Input:**

- Outerplanar Graph G = (V, E)
- Simple Polygon *P*
- Mapping of V to boundary of P

## **Output:**

- Bend points for edges s.t.
   all edges inside P, one bend, planar
- Is there a one-bend planar drawing of G in P?
  - $\Rightarrow$  Partial Drawing Extension with host P





Prescribing the outer face? ⇒ a graph drawing classic
 [Tutte, '63] [Hong & Nagamochi, '07]

- Prescribing the outer face? ⇒ a graph drawing classic [Tutte, '63] [Hong & Nagamochi, '07]
- Extension of straight-line drawings? ⇒ NP-hard

[Patrignani, '06]

- Prescribing the outer face? ⇒ a graph drawing classic [Tutte, '63] [Hong & Nagamochi, '07]
- Extension of straight-line drawings? ⇒ NP-hard
- Allowing overlap of edges and polygon?  $\Rightarrow \exists \mathbb{R}$ -hard [Patrignani, '06] [Lubiw et al., '18]

- Prescribing the outer face? ⇒ a graph drawing classic [Tutte, '63] [Hong & Nagamochi, '07]
- Extension of straight-line drawings? ⇒ NP-hard
- Allowing overlap of edges and polygon?  $\Rightarrow \exists \mathbb{R}$ -hard [Patrignani, '06] [Lubiw et al., '18]
  - ⇒ Let's try non-straight edges!

- Prescribing the outer face? ⇒ a graph drawing classic [Tutte, '63] [Hong & Nagamochi, '07]
- Extension of straight-line drawings? ⇒ NP-hard
- Allowing overlap of edges and polygon?  $\Rightarrow \exists \mathbb{R}$ -hard [Patrignani, '06] [Lubiw et al., '18]
  - ⇒ Let's try non-straight edges!

Topological drawings? ⇒ polynomial time

```
[Angelini et al., '15]
```

- Prescribing the outer face? ⇒ a graph drawing classic [Tutte, '63] [Hong & Nagamochi, '07]
- Extension of straight-line drawings? ⇒ NP-hard
- Allowing overlap of edges and polygon?  $\Rightarrow \exists \mathbb{R}$ -hard [Patrignani, '06] [Lubiw et al., '18]
  - ⇒ Let's try non-straight edges!

- Topological drawings? ⇒ polynomial time
- Linear number of bends per edge suffices (72|P|)


```
[Angelini et al., '15] [Chan et al., '15]
```

- Prescribing the outer face? ⇒ a graph drawing classic [Tutte, '63] [Hong & Nagamochi, '07]
- Extension of straight-line drawings? ⇒ NP-hard
- Allowing overlap of edges and polygon?  $\Rightarrow \exists \mathbb{R}$ -hard [Patrignani, '06] [Lubiw et al., '18]
  - ⇒ Let's try non-straight edges!


- Topological drawings? ⇒ polynomial time
- Linear number of bends per edge suffices (72|P|)
- P star-shaped?  $\Rightarrow$  one bend suffices

```
[Angelini et al., '15] [Chan et al., '15] [Mchedlize & Urhausen, '18]
```


•  $G \cup P$  is a biconnected outerplanar graph




•  $G \cup P$  is a biconnected outerplanar graph  $\Rightarrow$  use dual tree




- $G \cup P$  is a biconnected outerplanar graph  $\Rightarrow$  use dual tree
- Traverse that tree bottom-up, iteratively refining *P*





- $G \cup P$  is a biconnected outerplanar graph  $\Rightarrow$  use dual tree
- Traverse that tree bottom-up, iteratively refining P
- Graph fits in Polygon ⇔ Sub-Graph fits in refined Polygon





- $G \cup P$  is a biconnected outerplanar graph  $\Rightarrow$  use dual tree
- Traverse that tree bottom-up, iteratively refining *P*
- Graph fits in Polygon ⇔ Sub-Graph fits in refined Polygon
- Once all "safe" refinements are done, fix the remaining edges top-down.






















- Reflex ⇒ unique best bend
- "Best": minimal refinement





























# Refinement Types – Inner Nodes






#### Refinement Types – Inner Nodes


• Refinements can cut stored regions





#### Refinement Types – Inner Nodes

- Refinements can cut stored regions
- Store & solve at backtracking












• Step 4: convex






• Step 4: convex


• Step 5: reflex






• Step 4: convex

• Step 5: reflex







• Step 4: convex

• Step 5: reflex

• Step 6: convex







• Step 4: convex

• Step 5: reflex

• Step 6: convex







• Step 4: convex

• Step 5: reflex

• Step 6: convex







• Step 4: convex

• Step 5: reflex

• Step 6: convex








• Step 4: convex

• Step 5: reflex

• Step 6: convex









• Step 4: convex

• Step 5: reflex

• Step 6: convex









• Step 4: convex

• Step 5: reflex

• Step 6: convex









• Step 4: convex

• Step 5: reflex

• Step 6: convex







• Step 4: convex

• Step 5: reflex

• Step 6: convex









• Step 4: convex

• Step 5: reflex

• Step 6: convex







• Step 4: convex


• Step 5: reflex


• Step 6: convex


















• Stored regions can overlap







- Stored regions can overlap
- Route around bends in sequence







- Stored regions can overlap
- Route around bends in sequence







- Stored regions can overlap
- Route around bends in sequence







- Stored regions can overlap
- Route around bends in sequence






- Stored regions can overlap
- Route around bends in sequence





#### Conclusion

• Dual tree gets the sequencing right




#### Conclusion

• Dual tree gets the sequencing right

• Visibility region is/becomes empty  $\Rightarrow$  NO-instance

• Runtime O(|V||P|)



#### Conclusion

• Dual tree gets the sequencing right

• Visibility region is/becomes empty  $\Rightarrow$  NO-instance

• Runtime O(|V||P|)

#### Open Questions:

More bends? Maybe 2?

Polygons with holes?

